



## **THE 1100-QK HEAVY DUTY IV STAND**

**INDUSTRY LEADING  
MEDICAL DEVICE  
MOBILITY SOLUTIONS**

**THE SAFETY SERIES  
A SAFE AND STABLE  
SOLUTION**

PRYOR PRODUCTS  
1819 PEACOCK BLVD.  
OCEANSIDE, CA 92056

[PRYORPRODUCTS@PRYORPRODUCTS.COM](mailto:PRYORPRODUCTS@PRYORPRODUCTS.COM)

800-854-2200 | 760-724-8244

# THE 1100-QK HEAVY DUTY TRIPLE OFF-SET IV STAND

- Designed for Safety and Stability
- 27 x 28-inch six-leg H-base
- Triple Off-Set mount poles for optimum stability
- Ergonomic Handle
- 3-inch dual precision sealed bearing casters
- Telescoping stainless slow descending inner poles
- (3) Stainless Steel 6-hook rake tops for ideal line management
- (2) 6-Outlet Medical Grade Power Strips
- (1) 4-Outlet Medical Grade Power Strips
- Qwik-It connecting IV stand to patient bed

The 1100-QK is a staple in the Center-G family product offering and hits all the marks for Safety and Stability. The triple stainless-steel Center-G mounting poles are off-set positioning the central mass of the device(s) over central axis of stand for optimum stability. The six-leg steel H-base is mounted with six dual precision sealed bearing casters for quiet, effortless mobility, and come with a 10-year warranty! The 1100-QK includes the Qwik-It, quickly connecting the IV stand to patient bed for safe easy transport. Additionally this stand includes two 6-outlet and one 4-outlet hospital-grade, UL 1363A power strips.

This stand is built from the ground up using high grade steels, stainless steels, and a white epoxy powder coat finish, all extending the useful life of the pole while standing up to the harsh hospital environment.



# ACCESSORIES

## BED TRANSPORT SYSTEM (QWIK-IT)


Accessory QK-IT01



- Quickly connects IV pole to patient bed for transport
- Speed clamp technology for up to 2" dia. poles
- Gas spring allows for quiet slow descent after use
- Hospital bed must have IV pole mount hole to function

## DRAINAGE BAG HOLDER

Accessory 286



- Pigtail hook
- Plastic mount blocks
- Designed for Pryor 1.25" diameter poles
- Urinary bag holder mounts to base pole

## LAPTOP MOUNTING PLATE

Accessory 502



- Designed for most laptop computers
- C-clamp designed to attach to vertical poles
- Mounting plate with epoxy finish
- 5 mounting footpads 1" x 3/8" with adhesive tape

## TRANSDUCER HOLDER


Accessory 132



- 7/8" stainless up-right tube for mounting transducer
- Transducer mounting tube is 24" long
- Tube is set vertical when mounted to a vertical pole
- Height adjustable using attached clamp

## DRAGER BARS

Accessory 300-305



- Mounts to standard Pryor IV Stands, 21" long
- Industry-standard 10mm X 25mm bar
- Item 300 mounts to a 7/8" diameter pole
- Item 305 mounts to a 1.25" Pole

## BASKET WITH HANDLE

Accessory 288



- Outside dimensions H 8.00", W 12.90", D 7.00"
- Cord management hooks and wire loops
- Gray epoxy finish, diameter 7/8" handle
- Plastic mount blocks and screws for 1.25" poles

# SIMILAR PRODUCTS



**107**



**135R**



**176**



**810**

**ITEM #**

<b>BASE</b>	4 LEGS 24" DIA.	5 LEGS 22" DIA.	6 LEGS 25" DIA.	6 LEGS 25" DIA.
<b>TOP POLE</b>	SINGLE	SINGLE	SINGLE	SINGLE OFF-SET
<b>BASE POLE</b>	1.25" DIA.	1.25" DIA.	1.25" DIA.	2" DIA. 6-OUTLET
<b>CASTER</b>	3"	3"	3"	3"
<b>DUTY</b>	LIGHT	MEDIUM	MEDIUM	HEAVY

## ABOUT US

We are the leading manufacturer of IV Stands, Rapid Mounting Solutions, and Medical Device Carts for the healthcare industry. From low acuity hospital settings, operating rooms, to intensive care units, our products can be found assisting the best quality care to the patient worldwide.

Since 1972, our focus has been safety and quality first, and to develop products with this foundation, allowing the caregiver to give his/her undivided attention to the patient. All Pryor Products IV Stands are tested to the international transportation stability standard IEC 60601-1 9.4.2 to achieve optimum safety and stability.

[VISIT OUR WEBSITE](#)

PRYOR PRODUCTS  
1819 PEACOCK BLVD.  
OCEANSIDE, CA 92056

PRYORPRODUCTS@PRYORPRODUCTS.COM

800-854-2200 | 760-724-8244

