

## Safety Series IV Stands

## 910G HEAVY DUTY IV STAND

Medical Device Mobility Solutions Designed For Safety And Stability



# 910G Safety Series

- Designed for Safety and Stability
- 25-inch diameter six-leg steel laser base
- Stainless Steel Dual Off-Set mount poles for optimum Stability
- Ergonomic Handle
- 3-inch dual precision sealed bearing casters (10 yr. warranty)
- Telescoping stainless slow descending inner poles
- (2) Stainless Steel 6 hook tops for ideal line management
- (2) 4-Outlet Medical Grade Power Strip
- Compressed height 73" from floor
- Fully extended height 99" from floor
- Shipping hex box is 13" x 13" x 13" x 45"
- Shipping Weight is 65 lbs

The Safety Series 910G is another staple in the Center-G family product offering and hits all the marks for Safety and Stability. The stainless-steel Center-G mounting poles are off-set positioning the central mass of the device(s) over central axis of stand for optimum stability. The Safety Series features an upgraded 25" diameter six leg laser base with improved stability along with high grade polymer sealed bearing casters for longer lasting performance (10 yr. warranty on casters). Topped with two in-line 6-hook tops for ideal line management and bag placement along with controlled descent inner poles for safe height adjustments under load. The 910G includes 2 hospital-grade, UL 1363A 4-outlet power strips. This stand is built from the ground up using high grade steels, stainless steels, and a white epoxy powder coat finish, all extending the useful life of the pole while

environment.

standing up to the harsh hospital

## ACCESSORIES

#### **02 HOLDER** Accessory RD-0821



- Designed for D & E gas cylinders
  Mounting for 2" dia. poles
- White epoxy powder coat finish
- Top bracket for test chest tubes

#### **IV BAG CLAMP MOUNT**

Accessory 210



- Designed to hold secondary IV bags
- Fits up to 1.25" dia. poles
- 304 stainless steel hooks
- Anodize aluminum clamp

#### **BED TRANSPORT SYSTEM (QWIK-IT)** Accessory QK-IT01



- Quickly connects IV pole to patient bed for transport
  Speed clamp technology for up to 2" dia. poles
- Gas spring allows for quiet slow descent after use
- Hospital bed must have IV pole mount hole to function

**TRANSDUCER HOLDER** 

Accessory 132



- 7/8" stainless up-right tube for mounting transducer
- Transducer mounting tube is 24" long
- Tube is set vertical when mounted to a vertical pole

**DRAGER BARS** 

Accessory 300-305

• Height adjustable using attached clamp





- Smooth rolling, non-marking rubber wheel
- White raceway matches epoxy white base
- Not interchangeable with 3" caster •
- Must be requested at time of purchase

• Mounts to standard Pryor IV Stands, 21" long

.....

- Industry-standard 10mm X 25mm bar
- Item 300 mounts to a 7/8" diameter pole
- Item 305 mounts to a 1.25" Pole

## **SIMILAR PRODUCTS**



ITEM # 135G 176G 178G 810G

Base	5 Legs 22" dia.	6 Legs 25" dia.	6 Legs 25" dia.	6 Legs 25" dia.
Top Pole	Single	Single	Single off-set	Single Off-set
Base Pole	1.25" dia.	1.25" dia.	1.25" dia.	2" Dia. Off-set
Caster	3"	3"	3"	3"
Duty	Standard	Standard	Неаvy	Неаvy

#### **ABOUT US**

We are the leading manufacturer of IV Stands, Rapid Mounting Solutions, and Medical Device Carts for the healthcare industry. From low acuity hospital settings, operating rooms, to intensive care units, our products can be found assisting the best quality care to the patient worldwide.

Since 1972, our focus has been safety and quality first, and to develop products with this foundation, allowing the caregiver to give his/her undivided attention to the patient. All Pryor Products IV Stands are tested to the international transportation stability standard IEC 60601-1 9.4.2 to achieve optimum safety and stability.





Pryor Products 1819 Peacock Blvd.
 Oceanside , Ca 92056

Pryorproducts@pryorproducts.com

🔇 800-854-2200 | 760-724-8244